Serial No.: 09/827,570 - 5 - Art Unit: 1743

Conf. No.: 5898

In the Claims

Applicant has submitted a new complete claim set showing marked up claims with insertions indicated by underlining and deletions indicated by strikeouts and/or double bracketing.

Please cancel claims 1, 6-7, 9-10 and 14 without prejudice or disclaimer.

Please add new claims 18-26 as shown below.

Please amend pending claims 2, 3, 8, 11-13, and 15-16 as noted below. No new mater has been added.

- 1. (Canceled)
- 2. (Currently Amended) The liquid handling system of claim 1, A liquid handling system, comprising:

a liquid handling substrate having a plurality of channels for conducting a liquid sample, said channels terminating in a plurality of exit ports in an outer surface of said substrate for transfer of a quantity of said liquid sample; and

a liquid storage and dispensing substrate having a plurality of cartridges corresponding to said channels, said cartridges terminating in a plurality of exit ports in an outer surface of said substrate for transfer of a quantity of said liquid sample, wherein

each said channel includes a reservoir in communication with a corresponding cartridge creating an interface therebetween,

and wherein

each said cartridge terminates at a dispensing device[[.]]

and wherein said dispensing device comprises a microelectro mechanical system (MEMS) comprising a membrane with a hole, a nozzle positioned adjacent to said hole on a side of said membrane and a piezoelectric element.

Serial No.: 09/827,570 - 6 - Art Unit: 1743

Conf. No.: 5898

3. (Currently Amended) The liquid handling system of claim [[1]]2, wherein a liquid sample enters said channels of said liquid handling substrate by either capillary action, pneumatic means, electroosmotic flow, a minipump or a combination thereof.

- 4. (Original) The liquid handling system of claim 2, further comprising a liquid detecting means for detecting a level of a liquid sample in a cartridge.
- 5. (Original) The liquid handling system of claim 4, wherein said liquid detecting means comprises a light emitting diode and a photo-detector.
 - 6-7. (Canceled)
- 8. (Currently Amended) The liquid handling system of claim 7, A liquid handling system, comprising:

a liquid handling substrate having a plurality of channels for conducting a liquid sample, said channels terminating in a plurality of exit ports in an outer surface of said substrate for transfer of a quantity of said liquid sample; and

a liquid storage and dispensing substrate having a plurality of cartridges corresponding to said channels, said cartridges terminating in a plurality of exit ports in an outer surface of said substrate for transfer of a quantity of said liquid sample, wherein

each said channel includes a reservoir in communication with a corresponding cartridge creating an interface therebetween.

and wherein

each said cartridge terminates at a dispensing device,[[.]]

and wherein said cartridges are separable,

<u>and</u> wherein said cartridges include an electrical conductor for supplying electrical energy to said a liquid detecting means and said liquid storage and dispensing substrate.

9-10. (Canceled)

Serial No.: 09/827,570 -7 - Art Unit: 1743

Conf. No.: 5898

11. (Currently Amended) The liquid handling system of claim [[7]]8, wherein each said separable cartridge includes a registration mark on the outer surface of said cartridge.

- 12. (Currently Amended) The liquid handling system of claim [[7]]8, wherein each said separable cartridge includes an indexing mark on the outer surface of said cartridge.
- 13. (Currently Amended) The liquid handling system of claim [[7]]8, wherein each said separable cartridge includes a registration mark and an indexing mark on the outer surface of said cartridge.

14. (Canceled)

15. (Currently Amended) The liquid handling system of claim 14, A liquid handling system, comprising:

a liquid handling substrate having a plurality of channels for conducting a liquid sample, said channels terminating in a plurality of exit ports in an outer surface of said substrate for transfer of a quantity of said liquid sample; and

a liquid storage and dispensing substrate having a plurality of cartridges corresponding to said channels, said cartridges terminating in a plurality of exit ports in an outer surface of said substrate for transfer of a quantity of said liquid sample, wherein

each said channel includes a reservoir in communication with a corresponding cartridge creating an interface therebetween,

and wherein

each said cartridge terminates at a dispensing device,[[.]] and wherein

said cartridges are separable using a multifunctional head, said head arrayed in a

fountain, roller, conveyor belt or chain geometry,

and wherein said multifunctional head reads said cartridges are readable by said multifunctional head.

16. (Currently Amended) A liquid handling system, comprising:

Conf. No.: 5898

a liquid handling substrate having a plurality of channels for conducting a liquid sample in said substrate, said channels terminating in a plurality of exit ports in an outer surface of said substrate for transfer of a quantity of said liquid sample;

a liquid storage and dispensing substrate having a plurality of separable cartridges corresponding to said channels, said cartridges terminating in a plurality of exit ports in an outer surface of said substrate for transfer of a quantity of said liquid sample;

a liquid detecting system comprising a light emitting diode and a photo-detector, wherein each said channel includes a reservoir in communication with a corresponding cartridge creating an interface therebetween,

and wherein

said liquid sample enters said channels wither either by capillary action, pneumatic means, electro-osmotic flow, a minipump or a combination thereof.

17. (Original) In a liquid handling system, comprising:

a liquid handling substrate having a plurality of channels for conducting a liquid sample in said substrate, said channels terminating in a plurality of exit ports in an outer surface of said substrate for transfer of a quantity of said liquid sample;

a liquid storage and dispensing substrate having a plurality of separable cartridges corresponding to said channels, each said cartridge terminating at a microelectro mechanical system (MEMS) comprising a laminate of glass, silicon and a piezoelectric substance; and

a liquid detecting system comprising a light emitting diode and a photo-detector, wherein each said channel includes a reservoir in communication with a corresponding cartridge creating an interface therebetween, and wherein said liquid sample enters said channels wither by capillary action, pneumatic means, electro-osmotic flow, a minipump or a combination thereof,

a method for storing and dispensing liquids, comprising:

drawing a liquid sample into said channels either by capillary action, vacuum, electoosmotic flow, a minipump or any combination thereof;

storing said liquid sample into said cartridges; and dispensing said liquid sample.

Serial No.: 09/827,570 - 9 - Art Unit: 1743

Conf. No.: 5898

18. (New) The liquid handling system of claim 15, wherein said dispensing device comprises a microelectro mechanical system (MEMS) comprising a membrane with a hole, a nozzle positioned adjacent to said hole on a side of said membrane and a piezoelectric element.

- 19. (New) The liquid handling system of claim 15, wherein the plurality of channels number up to approximately 1536.
- 20. (New) The liquid handling system of claim 15, wherein each said separable cartridge includes a registration mark on the outer surface of said cartridge.
- 21. (New) The liquid handling system of claim 16, wherein the plurality of channels number up to approximately 1536.
- 22. (New) The liquid handling system of claim 16, wherein each said separable cartridge includes a registration mark on the outer surface of said cartridge.
- 23. (New) The liquid handling system of claim 16, wherein each said separable cartridge includes an indexing mark on the outer surface of said cartridge.
- 24. (New) The liquid handling system of claim 17, wherein the plurality of channels number approximately 96, 384 or 1536.
- 25. (New) The liquid handling system of claim 17, wherein each said separable cartridge includes a registration mark on the outer surface of said cartridge.
- 26. (New) The liquid handling system of claim 17, wherein each said separable cartridge includes an indexing mark on the outer surface of said cartridge.